


Z370SL_8L VER:1.0

[LGA1151]



Model No.	Z370SL_8L VER:1.0
Processor	Support LGA1151 6 th /7 th /8 th /9 th Intel® Celeron/Pentium/Core™ i3/i5/i7/i9 processor .Note:Support 125W CPU
Chipset	Using Intel Z370 high-speed chipset,
Memory	4*DDR4 UDIMM memory slot,supports up to 2666MHz DDR4 memory, up to 128GB,
Display	Integrated Intel® HD Graphics graphics controller, supports DirectX12, OpenGL4.4, and 4K display 1* VGA interface, supports the highest resolution 1920X1200@60Hz 1* HDMI1.4 interface, supporting the highest resolution 4096X2160 @24Hz
Network	8* Intel® I210AT Gigabit network card, supports network wake-up and PXE functions, 1* Intel® I219LM Gigabit network card, supports wake-on-LAN, PXE/VPRO functions
Storage	4* SATA 3.0 hard disk interface, SATA interface transmission speed up to 6Gbps, supports RAID 0,1,5,10
	1* M.2 slot, supports M.2 Key M 2242/2280 PCIE x4/SATA adaptive standard SSD
Audio	N/A
Expansion slots	1* M.2 slot, supports M.2 Key B 2242/2252 4G/5G module
	1* M.2 slot, supports M.2 Key E 2230 WIFI module
	2* PCIE X8 gold fingers,
Rear I/O interface	1* RJ45 serial port
	2* USB3.0 interface
	8* RJ45 Gigabit network interface
	1* power switch, 1* reset switch
	1* power indicator light, 1* hard disk indicator light
Built in I/O interface	1* JVGA interface 1*12pin
	1* JHDMI interface 2*8pin,
	1* RS232 serial port, 2*5pin
	1* Network pin header 2*6pin
	2* USB 2.0 interface 2*5Pin
	1* Vertical USB2.0 interface

	1* PS/2 keyboard and mouse interface 1*6pin
	1*Front panel function button and indicator light interface 2*5pin
	1* FPC interface, 30pin, including 1 PCIE, 1 PLC/ESPI bus, HD bus (reserved, optional)
	1* SIM card slot
	1* 24pin ATX power input interface
	1* 8pin ATX power input interface
Fan connector	1*4pin CPU smart fan interface, 3*4pin system smart fan interface
BIOS	64Mb Flash ROM
OS	Windows 10/Windows 11/Linux
Watchdog	Support hardware reset function (256 levels, 0~255 seconds)
Power type	ATX power input
Working Temp.	0°C ~ 60°C
Storage Temp.	-20°C ~ 70°C
Working Humidity	5%-95%(relative humidity; non-condensing)
Dimension	220mm x 280mm

Order information:

NO.	Model	Processor	Southbridge	Memory	VGA	HDMI	DP	EDP	LAN	USB	COM	485/422	Power
1	Z370SL_8L VER:1.0	LGA1151	Z370	4*DDR4	1	1	/	/	8*I210AT 1*I219LM	5	2	/	ATX